

2. Kasahara S, Seizaburo H (Eds). Medicinal Herb Index in Indonesia. Jakarta: PT. Esai Indonesia, 1995: 272.
3. Hong CH, Kim YL, Lee SK. Sesquiterpenoids from the Rhizome of *Curcuma zedoaria*. Arch Pharm Res 2001, 24 (5): 424-6.
4. Didik G, Soegihardjo CJ, Sri Mulyani, Koensoemardiyah. Empon-empon dan tanaman lain dalam Zingiberaceae. PerHipBa komisariat Yogyakarta, Sema-rang: IKIP Semarang Press, 1989: 33-5.
5. Perry LM and Metzger. Medicinal Plants of East and Southeast Asia. Cambridge, Massachusetts and London, England: The MIT Press, 1980: 440.
6. Hendrian, Julisasi TH. Koleksi Tumbuhan obat Kebun Raya Bogor. Bogor: UPT Balai Pengembangan Kebun Raya LIPI, 1999: 26.
7. Syu WJ, Shen CC, Don MJ, Ou JC, Lee GH, Sun CM. Cytotoxicity of curcuminoids and some novel compounds from *Curcuma zedoaria*. J Nat Prod 1998, 61 (12): 1531-4.
8. Matsuda H, Ninomiya K, Morikawa T, Yoshikawa M. Inhibitory effect and action mechanism of sesquiterpenes from Zedoariae Rhizoma on D-galactosamine /lipo-polysaccharide-induced liver injury (Abstract), Bioorg Med Chem Lett 1998, 8 (4): 339-44.
9. Jang MK, Sohn DH, Ryu JH. A Curcuminoid and Sesquiterpenes as inhibitors of Macrophage TNF- α Release from *Curcuma zedoaria*. Planta Med 2001, 67: 550-2.
10. Samuelsson G. Drugs of Natural origin A Textbook of Pharmacognosy, 4th revised ed. Stockholm, Sweden: Swedish Pharmaceutical Press, 1999: 254-60.
11. Anonim. Medicinal Plants in Vietnam. WHO Regional Publications, Manila: Institute of Materia Medica Hanoi, 1990: 133.
12. Melching S. Isolierung, Strukturauflklärung und stereochemische Untersuchungen neuer sesquiterpenoider Verbindungen aus vier Chemotypen des Lebermooses *Conocephalum conicum*. Dissertation Zur Erlangung des Doktorgrades des Fachbereichs Chemie der Universität Hamburg, 1999: 12-3.
13. Sudibyo RS. Gas chromatographic-mass spectrometric analysis of the main component of volatile oil isolated from *Curcuma zedoaria* Rosc, Majalah Farmasi Indonesia 2000, 11 (1): 39-44.
14. Yoshinori S, Yoshinori A, Mitsuaki K, Koji Y and Tsunematsu T. Curcumenone, curcumanolide A and curcumanolide B, three sesquiterpenoids from *Curcuma zedoaria* (Abstract). Phytochemistry 1985, 24: 2629-33.
15. Yoshinori S, Yoshinori A, Mitsuaki K and Tsunematsu T. Zedoarol, 13-hydroxy-germacrone and curzeone, three sesquiterpenoids from *Curcuma zedoaria* (Abstract). Phytochemistry 1986, 25: 1351-3.
16. Fukushima S, Kuroyanagi M, Akahori Y, Saiki Y, Ueno A, Structure of zedoarone, a new sesquiterpene from *Curcuma zedoaria* (Abstract). Yakugaku Zasshi 1968, 88 (6): 792-4.
17. Fukushima S, Kuroyanagi M, Ueno A, Akahori Y, Saiki Y. Structure of curzerenone, a new sesquiterpene from *Curcuma zedoaria* (Abstract). Yakugaku Zasshi 1970, 90 (7): 863-9.
18. Xu HX, Zheng SC, Zuo SX, Sun FY. Zhong Cao Yao Tong Xun, 10 433-7, dalam: Syu WJ, Shen CC, Don MJ, Ou JC, Lee GH, Sun CM. Cytotoxicity of curcuminoids and some novel compounds from *Curcuma zedoaria*. J Nat Prod 1998, 61 (12): 1531-4.
19. Yoshioka T, Fujii E, Endo M, Wada K, Tokunaga Y, Shiba N, Hohsho H, Shibuya H, Muraki T. Antiinflammatory potency of dehydrocurdione, a zedoary-derived sesqui-terpene (Abstract). Inflamm Res 1998, 47 (12), 476-81.
20. Gupta, Banerjee, Achari. Isolation of ethyl-p-methoxycinnamate, the major antifungal principle of *Curcuma zedoaria* (Abstract). Lloydia 1976, 39 (4): 218-22.

21. Yusuf NA, Ibrahim H, Khalid N. Antibacterial evaluation and tissue culture studies of selected medicinal *Curcuma* species. Proc. NSF Workshop 2001, Kualalumpur.
22. Rao BG and Nigam SS. Indian J Med Res 1970, 58: 627-33. Dalam: Syu WJ, Shen CC, Don MJ, Ou JC, Lee GH, Sun CM. Cytotoxicity of curcuminoids and some novel compounds from *Curcuma zedoaria*. J Nat Prod 1998, 61 (12): 1531-4.
23. Soewarni M. Efek antiradang minyak atsiri temu putih (*Curcuma zedoaria* Rosc., Zingiberaceae) terhadap udem buatan pada tikus putih betina galur Wistar. Majalah Farmasi Indonesia 1997, 8 (1): 34-41.
24. Lee HJ, Kim NY, Jang MK, Son HC, Kim KM, Sohn DH, Lee SH, Ryu JH. A sesquiterpene, dehydrocostus lactone, inhibits the expression of inducible nitric oxide synthase and TNF- α in LPS-activated macrophages, Planta Med 1999, 65: 104-8.
25. Son HJ, Lee HJ Yun-Choi HS, Ryu JH. Inhibitor of nitric oxide synthesis and TNF- α expression from *Magnolia obovata* in activated-macrophages. Planta Med 2000, 66: 469-71.
26. Chan MM. Inhibition of tumor necrosis factor α by curcumin, a phytochemical (Abstract). Biochem Pharmacol 1995, 49: 1551-6.
27. Kim KI, Shin KS, Jun WJ, Hong BS, Shin DH, Cho HY, Chang HI, Yoo SM, Yang HC. Effects of Polysaccharides from rhizomes of *Curcuma zedoaria* on macrophage functions (Abstract). Biosci Biotechnol Biochem 2001, 65 (11): 2369-77.
28. Wagner H and Wolff P (Eds). Natural Substances with effects on the Liver, Proc. In Life Sciences: New Natural Products and Plant Drugs with Pharmacological, Biological or Therapeutical Activity, Berlin-Heidelberg-New York: Springer-Verlag, 1977: 249-65.
29. Shin KH. Isolation of Hepatic drug metabolism inhibitors from the rhizomes of *Curcuma zedoaria*. Arch Pharm Res 1989, 12 (3): 196-200.
30. Kumar NS, Kumar V and Bandara KANP. Insectisidal Activity of *Curcuma zedoaria* (Zingiberaceae). Books of Abstracts International Symposium of the Phytochemical Society of Europe (PSE), Lead Compounds from Higher Plants, Switzerland, 12-14 September 2001.